

## COMMENTARY

# Bridging the Gap in Pancreatic Imaging: A New Era of AI-Powered Precision

Gorkem Durak , Ulas Bagci\*

Department of Radiology, Northwestern University, Chicago, USA

### DESCRIPTION

The landscape of medical imaging has been transformed by Artificial Intelligence (AI), yet some organs have remained stubbornly challenging to analyze. The pancreas, with its variable shape, poor contrast and intricate relationships with surrounding structures, has long been one of these holdouts. In a recent study published in medical image analysis, authors present PanSegNet, a breakthrough deep learning framework that achieves unprecedented accuracy in pancreatic segmentation across multiple imaging modalities and demonstrates remarkable generalizability across different medical centers [1]. The clinical significance of precise pancreatic imaging cannot be overstated. Accurate pancreatic visualization and measurement are important for patient care, from early detection of pancreatic cancer to monitoring chronic conditions like diabetes and pancreatitis [2]. However, manual segmentation of the pancreas is time-consuming, requiring approximately 25 min per case, even for experienced radiologists and subject to significant inter-observer variability. This bottleneck has hindered both routine clinical practice and large-scale research efforts.

The authors' PanSegNet study addresses several critical gaps in the field. First, they have developed the largest multi-center, multi-modality pancreatic imaging dataset to date, comprising 767 MRI scans from 499 participants across internationally recognized five medical centers, along with 1,350 CT scans from various public and NIH sources. This resource, now publicly available to anyone, represents a quantum leap forward for the field, as previous studies were limited by small, single-center datasets that failed to capture real-world variability. This is the first-ever study providing a large-scale MRI data set with ground truth annotations and accompanying software publicly available for researchers and clinicians.

The technical innovation at the heart of this work lies in the PanSegNet deep learning architecture. By combining the strengths of the established nnUNet framework with a novel "linear self-attention" mechanism, the authors created a system that can efficiently process complex 3D medical images while maintaining high accuracy [3]. The linear attention component represents a significant advancement over traditional transformer architectures, reducing computational complexity from quadratic to linear while preserving performance. This makes the system practical for clinical deployment, a major consideration often overlooked in academic research [4]. The results are compelling: PanSegNet achieved dice scores of 88.3% for CT, 85.0% for T1-weighted MRI and 86.3% for T2-weighted MRI.

These numbers might seem abstract, but they represent a level of accuracy approaching inter-observer agreement between radiologists. More importantly, the system maintained robust performance even when tested on external datasets from different medical centers, demonstrating a practical generalizability that has often been the achilles' heel of AI systems in medicine. Perhaps most significant is the system's ability to provide accurate volumetric measurements of the pancreas, with correlation coefficients ( $R^2$ ) of 0.91, 0.84 and 0.85 for CT, MRI T1W and MRI T2W imaging, respectively. This capability opens new possibilities for monitoring disease progression and treatment response in conditions like chronic pancreatitis and diabetes, where pancreatic volume changes can be clinically significant but difficult to measure manually [5].

The implications of this work extend beyond pancreatic imaging. Authors' approach to handling multi-center, multi-modality data provides a blueprint for developing robust AI systems in other medical imaging applications. The linear attention mechanism we have introduced could be adapted for other anatomical structures where traditional deep learning approaches have struggled with complexity and computational efficiency. Looking forward, several exciting possibilities emerge. The ability to accurately segment the pancreas could serve as a foundation for automated detection of pancreatic tumors, potentially improving early diagnosis rates for one of medicine's most lethal cancers. In diabetes research,

**Received** 21-Nov-2024 Manuscript No. IPP-24-22019 **Editor assigned** 25-Nov-2024 PreQC No. IPP-24-22019 (PQ) **Reviewed** 09-Dec-2024 QC No. IPP-24-22019 **Revised** 16-Dec-2024 Manuscript No. IPP-24-22019 (R) **Published** 23-Dec-2024 DOI: 10.51268/1590-8577-25. S11.1-3

**Correspondence** Ulas Bagci

Department of Radiology, Northwestern University, Chicago, USA

**E-mail** ulasbagci@gmail.com

**Citation:** Durak G, Bagci U. Bridging the Gap in Pancreatic Imaging: A New Era of AI-Powered Precision. JOP. J Pancreas. (2024) 25:1-2.

automated pancreatic volumetry could help unlock new insights into disease progression and treatment response. However, challenges remain. While the system shows impressive generalizability, the observed performance slightly drops across different centers, highlighting the ongoing challenge of domain shift in medical AI. Future work might explore advanced domain adaptation or generalization techniques or novel AI architectural approaches to further bridge this gap.

As the authors make both the dataset and AI model/software publicly available, we hope to see further innovation in the field by many others collaboratively using the same dataset and algorithm. The ability to accurately and efficiently analyze pancreatic imaging across modalities and healthcare centers represents a significant step toward more precise and personalized medicine. As the field continues to evolve, integrating such AI tools into clinical workflow could fundamentally transform how we diagnose and monitor pancreatic diseases. This work represents not just a technical

achievement, but a step toward more efficient and accurate clinical care. As these technologies continue to be refined and deployed, the promise of AI-assisted medical imaging moves closer to everyday clinical reality, one organ at a time.

## REFERENCES

1. Zhang Z, Keles E, Durak G, Taktak Y, Susladkar O, Gorade V, et al. Large-scale multi-center CT and MRI segmentation of pancreas with deep learning. *Med Image Anal.* 2024;99:103382.
2. Gonda TA, Cahen DL, Farrell JJ. Pancreatic cysts. *N Engl J Med.* 2024;391(9):832-843. [PMID: 39231345]
3. Isensee F, Jaeger PF, Kohl SA, Petersen J, Maier-Hein KH. nnU-Net: A self-configuring method for deep learning-based biomedical image segmentation. *Nat Methods.* 2021;18(2):203-211. [PMID: 33288961]
4. Shad R, Cunningham JP, Ashley EA, Langlotz CP, Hiesinger W. Designing clinically translatable artificial intelligence systems for high-dimensional medical imaging. *Nat Mach Intell.* 2021;3(11):929-935.
5. Saisho Y, Butler AE, Meier JJ, Monchamp T, Allen-Auerbach M, Rizza RA, et al. Pancreas volumes in humans from birth to age one hundred taking into account sex, obesity and presence of type-2 diabetes. *Clinical Anatomy.* 2007;20(8):933-942. [PMID: 17879305]